

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | |
|---|-----------|--|
| (51) International Patent Classification ⁶ : A01N 65/00 | A1 | (11) International Publication Number: WO 97/14309 (43) International Publication Date: 24 April 1997 (24.04.97) |
| <p>(21) International Application Number: PCT/CA96/00661</p> <p>(22) International Filing Date: 1 October 1996 (01.10.96)</p> <p>(30) Priority Data: 544,614 18 October 1995 (18.10.95) US</p> <p>(71) Applicant: HER MAJESTY IN RIGHT OF CANADA, represented by THE MINISTER OF AGRICULTURE AND AGRI-FOOD PMRC [CA/CA]; 4902 Victoria Avenue North, P.O. Box 6000, Vineland Station, Ontario L0R 2E0 (CA).</p> <p>(72) Inventors: POTTER, John, W.; 461 Kilman Road, R.R. #1, Ridgeville, Ontario L0S 1M0 (CA). CHIBA, Mikio; 15 Prince Andrew Court, St. Catharines, Ontario L2N 3Y2 (CA).</p> <p>(74) Agent: RAE, Patricia, A.; Sim & McBurney, 6th floor, 330 University Avenue, Toronto, Ontario M5G 1R7 (CA).</p> | | <p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p> |
| <p>(54) Title: PESTICIDE COMPOSITIONS CONTAINING MUSTARD BRAN</p> <p>(57) Abstract</p> <p>The invention provides pesticide precursor compositions comprising bran from a mustard of the genus Brassica and methods for controlling soil pests by application of the pesticide precursor compositions to the soil. The invention further provides pesticides comprising aqueous suspensions or extracts of mustard bran.</p> | | |

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | |
|----|--------------------------|----|--|----|--------------------------|
| AM | Armenia | GB | United Kingdom | MW | Malawi |
| AT | Austria | GE | Georgia | MX | Mexico |
| AU | Australia | GN | Guinea | NE | Niger |
| BB | Barbados | GR | Greece | NL | Netherlands |
| BE | Belgium | HU | Hungary | NO | Norway |
| BF | Burkina Faso | IE | Ireland | NZ | New Zealand |
| BG | Bulgaria | IT | Italy | PL | Poland |
| BJ | Benin | JP | Japan | PT | Portugal |
| BR | Brazil | KE | Kenya | RO | Romania |
| BY | Belarus | KG | Kyrgyzstan | RU | Russian Federation |
| CA | Canada | KP | Democratic People's Republic of Korea | SD | Sudan |
| CF | Central African Republic | KR | Republic of Korea | SE | Sweden |
| CG | Congo | KZ | Kazakhstan | SG | Singapore |
| CH | Switzerland | LI | Liechtenstein | SI | Slovenia |
| CI | Côte d'Ivoire | LK | Sri Lanka | SK | Slovakia |
| CM | Cameroon | LR | Liberia | SN | Senegal |
| CN | China | LT | Lithuania | SZ | Swaziland |
| CS | Czechoslovakia | LU | Luxembourg | TD | Chad |
| CZ | Czech Republic | LV | Latvia | TG | Togo |
| DE | Germany | MC | Monaco | TJ | Tajikistan |
| DK | Denmark | MD | Republic of Moldova | TT | Trinidad and Tobago |
| EE | Estonia | MG | Madagascar | UA | Ukraine |
| ES | Spain | ML | Mali | UG | Uganda |
| FI | Finland | MN | Mongolia | US | United States of America |
| FR | France | MR | Mauritania | UZ | Uzbekistan |
| GA | Gabon | | | VN | Viet Nam |

PESTICIDE COMPOSITIONS CONTAINING MUSTARD BRANField of the Invention

The present invention relates to compositions and methods for controlling pests. More particularly, the invention relates to pesticide precursor compositions comprising mustard bran and methods for using these compositions.

Background of the Invention

Soil pests affect most cultivated crops and cause extensive damage, for example, to fruit crops, vegetables, cereals and ornamental plants, with resulting economic loss.

Efforts have been made to control soil pests by introducing pesticidal formulations onto or into the soil, before planting, at the time of planting or after planting. For example, the synthetic compound methyl isothiocyanate has been used as a soil fumigant against a variety of pests, including insects, nematodes, mites and various microorganisms.

In recent years, however, it has been realised that many of the pesticides currently in use are toxic and environmentally undesirable and there is a need to find practical alternatives which are more environmentally friendly.

Many Brassica species contain glucosinolates which can be converted by the endogenous plant enzyme myrosinase to a variety of compounds. For example, the glucosinolate sinigrin, which is found in mustards, can be converted by myrosinase to allyl isothiocyanate (AITC). As early as 1945, mustard oil and AITC were examined as a means of control of nematodes (Ellenby (1945), Annals of Applied Biol., v. 32, pp. 67-70; (1951), Annals of Applied Biol., v. 38, pp. 859-875).

Mustard oil did not, however, prove to be a practical pesticide for agricultural application due to its handling requirements, since it is an irritant liquid

- 2 -

producing noxious fumes, and due to its immiscibility with soil moisture.

There remains a need for a practical and cost-effective treatment for soil pests which is at the same time environmentally- and user-friendly.

Summary of the Invention

In the commercial preparation of mustard condiments, whole mustard seed is milled to strip off the outer seed coating or husk from the kernel or seed tissue. The kernel is ground into mustard flour which is sold as dry mustard condiment powder or is processed into other mustard condiments. The milled husk or bran is a waste product previously thought to have no commercial value and therefore discarded.

The present inventors have found, surprisingly, that mustard bran from some mustard species is a significant source of sinigrin and AITC and can be used as an inexpensive, effective and safely handled pesticide or soil fumigant, to control pests such as insects, nematodes, mites, fungi and bacteria.

Mustard bran can be applied to the soil in a manner similar to the application of a granular fertiliser. The mustard bran may be mixed with a suitable agricultural carrier to optimise its handling properties. On contact with water in the soil, the sinigrin of the mustard bran is converted by myrosinase from the bran to the active pesticide, AITC.

Mustard bran may also be used to prepare pesticidal aqueous extracts or aqueous suspensions which can be applied to pests or to the soil to achieve control.

In accordance with one embodiment of the present invention, there is provided a pesticide precursor composition comprising bran from a mustard of the genus Brassica.

In accordance with a further embodiment of the present invention, a method is provided for controlling a

- 3 -

pest in soil which comprises applying to the soil an effective amount of a pesticide precursor composition comprising a bran from a mustard of the genus Brassica, wherein the bran contains an effective amount of sinigrin
5 capable of conversion to allyl isothiocyaate on contact with water in the soil.

In accordance with a further embodiment of the invention, there is provided a pesticide comprising a pesticidally effective amount of an aqueous extract of
10 bran from a mustard of the genus Brassica.

In accordance with a further embodiment of the invention, there is provided a pesticide comprising a pesticidally effective amount of an aqueous suspension of bran from a mustard of the genus Brassica.

15 In accordance with a further embodiment of the invention, a method is provided for controlling a pest which comprises applying to the pest an effective amount of an aqueous extract of bran from a mustard of the genus Brassica.

20 In accordance with a further embodiment of the invention, a method is provided for controlling a pest which comprises applying to the pest an effective amount of an aqueous suspension of bran from a mustard of the genus Brassica.

25 Detailed Description of the Invention

The terms listed below have the following meanings:

"Mustard" means a species or a plant of the genus Brassica.

30 "Mustard condiment" means a food product or condiment prepared from a plant or from the seeds of a plant of the genus Brassica.

"Bran" or "mustard bran" means the husk or outer seed coating from the seeds of a plant of the genus Brassica removed from the kernel by milling or other
35 suitable process.

Mustards with a high seed kernel concentration of sinigrin are valued for human consumption as seasonings and are used for the preparation of mustard condiments and other food products.

5 The mustard seed is first milled to remove the outer husk, typically by an abrasive process, and the kernel is ground into flour for condiment production. Until the work of the present inventors, the residual bran was considered a waste product and was discarded.

10 It has now been shown that mustard bran can be a useful and effective pesticide precursor, providing sinigrin and myrosinase. Under moist conditions, the sinigrin is converted by the myrosinase to the pesticidal compound, AITC.

15 This is exemplified in Example 2 in which aqueous extracts of mustard bran were compared with extracts of mustard flour, which is known to contain high levels of sinigrin, with respect to nematocidal activity. Bran was found to have excellent nematocidal activity. In con-
20 trast, extracts of whole mustard seed or cracked mustard seed showed very low nematocidal activity.

 In accordance with one embodiment of the invention, a method is provided for controlling soil pests by applying a pesticide precursor composition comprising mustard
25 bran to the soil.

 Mustard bran may be applied to the soil in a similar manner to the application of materials such as granular fertilisers and using similar commercially available agricultural equipment. For example, the bran may be
30 scattered on the soil surface or incorporated into the soil with a disk or rototiller. Application may be prior to planting, at the time of planting or after planting, as desired.

 In accordance with a further embodiment of the
35 invention, mustard bran may be mixed with an agriculturally acceptable carrier to improve its handling properties before application to the soil. Those skilled

in the art will be familiar with carrier materials which are suitable for formulation of pesticidal compositions for application to soil. Such carriers include finely ground clay, starch-based or plastic polymers,

5 surfactants or organic carriers such as ground corn cobs.

Cracked mustard seed may also be used as a carrier. Lower grade mustard seed of insufficient quality for processing into flour for condiment preparation may be employed for this purpose.

10 In accordance with a further embodiment, mustard bran may be formulated with a mixture of carriers, and optionally may be formulated in a variety of forms; for example, it may be formulated into layered granules, to obtain a desired rate of release of pesticide into the
15 soil. Such methods of formulation are known to those skilled in the art.

Mustard bran is an environmentally friendly pesticide, being a natural and biodegradable product.

It is also much more easily and safely handled than
20 pesticides such as synthetic methyl isothiocyanate, as the dry bran is non-toxic and the effective pesticide, the irritant and toxic compound AITC, is formed from the sinigrin contained in the bran only after application of the composition to the soil and its contact with water in
25 the soil.

The dry bran may be formulated, handled and applied without the precautions which would be required for dealing with AITC.

In accordance with a further embodiment of the
30 invention, a pesticide comprising an aqueous extract or an aqueous suspension of mustard bran may be prepared and applied to pests or to the soil to achieve pest control. Application may be carried out, for example, by spraying the suspension or extract on the pests or on to the soil.

35 As will be understood by those skilled in the art, mustard bran effective as a pesticide precursor may be obtained from any Brassica species or variety having a

husk sinigrin content sufficient to give a desired level of pest control on conversion to AITC. As exemplified herein, a mustard having a sinigrin content of about 2.5% by weight provides an effective level of pesticide activity. Sinigrin may be measured by a standard technique, such as those described by Minchinton, I. et al., (1982), J. Chromatog., v. 247, pp. 141-148; Sang, J.P. et al., (1984), Can. J. Plant.Sci., v. 64, pp. 77-93; Betz, J.M. and Fox, W.D., (1994), in "Food Phytochemicals for Cancer Prevention", ACS Symposium Series 546, American Chemical Society, pp. 181-193.

Mustards having a higher or lower husk sinigrin content may also be employed in the pesticide precursor compositions of the invention. It is within the expertise of those skilled in the art to determine whether the bran from any variety of mustard is effective to give a desired level of pest control.

Suitable Brassica varieties may be found, for example, in the following species:

20 *Brassica juncea*;
 Brassica campestris; and
 Brassica nigra.

Brassica juncea, cv Forge and *Brassica juncea*, cv Cutlass are preferred varieties of *B. juncea*.

25 Brassica species or varieties may also be bred or genetically engineered to increase husk content of sinigrin. Brassicas such as *Brassica napus* have already been shown to be amenable to successful genetic manipulation to improve various properties. Such techniques may be used to convert species or varieties with naturally low husk sinigrin content to a useful level or may be used to further enhance husk sinigrin in high-sinigrin varieties. Transgenic or hybrid Brassicas so produced may also be used in the compositions of the invention.

35 As AITC is believed to act against pests by a similar mechanism to that of methyl isothiocyanate, the pesticide precursor compositions and pesticides of the

invention can be expected to combat a similar range of pests, including plant-parasitic nematodes, insects, mites, fungi and bacteria.

The following examples are described for the purpose of illustration and are not intended to limit the scope of the invention.

Example 1

Samples of mustard bran and mustard flour from various mustard types were obtained from a commercial mustard milling company.

Sinigrin content was determined by extracting a portion of bran or flour in phosphate buffer, pH 7.0, at 100°C for 20 min. The aqueous extract was purified by chromatography on a C18-solid phase extraction cartridge and the purified sinigrin was determined by high performance liquid chromatography.

The available AITC was calculated as 23.9% of the sinigrin concentration, on the basis of the relative molecular weights and the demonstrated quantitative conversion of sinigrin to AITC by myrosinase (data not shown).

The results are shown in Table 1.

TABLE 1

| Mustard Variety | Sinigrin Conc. (mg/g) | | AITC Conc. (mg/g) | |
|-----------------------|-----------------------|-------|-------------------|-------|
| | Bran | Flour | Bran | Flour |
| Oriental ^a | 25.2 | 40.2 | 6.0 | 9.6 |
| 5 Yellow ^b | nd | 1.9 | nd | 0.5 |
| Mixed ^c | 9.3 | 24.7 | 2.2 | 5.9 |

^a *Brassica juncea*, cv. Forge (Oriental mustard)

^b *Brassica napus* (Yellow mustard or rapeseed)

^c Mixture of Oriental and Yellow mustard

10 nd = not detected

Example 2

Nematicidal efficacy of various mustard-derived materials was determined using aqueous extracts of the materials applied to the lesion nematode *Pratylenchus*
 15 *penetrans*. Materials extracted were from *Brassica juncea* cv. Forge, as follows:

1. Intact seed.
2. Cracked seed.
3. Mustard bran.
- 20 4. Mustard flour.
5. Formulated bran: 1 g mustard bran was mixed well with 1.5 g canola oil. After 30 minutes, 2.5 g powdered clay was added and the mixture was mixed well in a mortar.

- 25 6. Formulated bran: bran was formulated as in 5, except that Tween-20 was used instead of canola oil.

Weighed portions of each sample were extracted with 50 ml water at room temperature, either for 30 mins or 60 mins, and filtered. A 1 ml portion of each filtered
 30 aqueous extract was mixed with 2 ml of a suspension of *Pratylenchus penetrans* (100 or 200 nematodes per 2 ml) and the nematodes were assessed for mobility and mortal-

ity at various intervals. Mobility was assessed by microscopic observation. Mortality was determined after 68-72 hours of exposure to the extracts by looking for lack of movement on visual inspection and no reaction to mechanical stimulation.

The results are shown in Tables 2 (30 minute extraction) and 3 (60 minute extraction).

TABLE 2

| | Sample Number | Weight of sample extracted | Mobility 2 hrs. | %Mobility- 4 hrs. treatment | % Mortality 68-72 hrs. |
|----|------------------|----------------------------------|--------------------|-----------------------------------|---------------------------|
| 10 | 1 | 231 | all active | 100.0 | 10.0 |
| | 2 | 231 | most inactive | 4.4 | 14.1 |
| | 3 | 301 | ditto, sluggish | 1.3 | 45.8 |
| | 4 | 189 | slight movement | 5.1 | 54.9 |
| 15 | 5 | 1506 | slight movement | 1.4 | 51.6 |
| | 6 | 1506 | slight movement | 11.4 | 46.0 |

TABLE 3

| | Sample Number | Weight of sample extracted | Nematode Mobility- 2 hrs. treatment | % Mobility 4 hrs. treatment | % Mortality 68-72 hrs. |
|---|------------------|----------------------------------|--|-----------------------------------|---------------------------|
| | 1 | 231 | all active | 100.0 | 2.7 |
| 5 | 2 | 231 | slight movement | 3.6 | 4.0 |
| | 3 | 301 | slight movement | 12.5 | 84.5 |
| | 4 | 189 | slight movement | 15.8 | 72.8 |
| | 5 | 1506 | slightly more than above | 5.7 | 69.3 |
| | 6 | 1506 | slightly more than above | 13.4 | 69.1 |

10 Although only preferred embodiments of the present invention have been described, the present invention is not limited to the features of these embodiments, but includes all variations and modifications within the scope of the claims.

- 11 -

WE CLAIM:

1. A pesticide precursor composition comprising bran from a mustard of the genus *Brassica*.
2. The composition of claim 1 further comprising an acceptable carrier.
3. The composition of claim 2 wherein the bran is from a mustard of a species selected from the group consisting of
 - (a) *Brassica juncea*;
 - (b) *Brassica campestris*; and
 - (c) *Brassica nigra*.
4. The composition of claim 2 wherein the bran is from a mustard of the species *Brassica juncea*.
5. The composition of claim 4 wherein the mustard is of the variety *B. juncea* cv. Forge or *B. juncea* cv. Cutlass.
6. The composition of claim 4 wherein the carrier comprises cracked mustard seed.
7. The composition of claim 4 wherein the carrier is selected from the group consisting of finely ground clay, at least one polymer, at least one surfactant and at least one organic carrier.
8. The composition of claim 4 wherein the composition is nematocidal.
9. The composition of claim 1 wherein the bran contains an effective amount of sinigrin capable of conversion to allyl isothiocyanate on contact with water.

- 12 -

10. A method for controlling a pest in soil which comprises applying to the soil an effective amount of a pesticide precursor composition comprising a bran from a mustard of the genus *Brassica*, wherein the bran contains an effective amount of sinigrin capable of conversion to allyl isothiocyanate on contact with water in the soil.
11. The method of claim 10 wherein the composition further comprises an acceptable carrier.
12. The method of claim 11 wherein the bran is from a mustard of a species selected from the group consisting of
- (a) *Brassica juncea*;
 - (b) *Brassica campestris*; and
 - (c) *Brassica nigra*.
13. The method of claim 11 wherein the bran is from a mustard of the species *Brassica juncea*.
14. The method of claim 13 wherein the mustard is of the variety *B. juncea* cv. Forge or *B. juncea* cv. Cutlass.
15. The method of claim 13 wherein the carrier comprises cracked mustard seed.
16. The method of claim 13 wherein the carrier is selected from the group consisting of finely ground clay, at least one polymer, at least one surfactant and at least one organic carrier.
17. The method of claim 13 wherein the pest is selected from the group consisting of plant-parasitic nematodes, mites, insects, fungi and bacteria.

- 13 -

18. The method of claim 13 wherein the pest comprises plant-parasitic nematodes.

19. A pesticide comprising a pesticidally effective amount of an aqueous extract of bran from a mustard of the genus *Brassica*.

20. A pesticide comprising a pesticidally effective amount of an aqueous suspension of bran from a mustard of the genus *Brassica*.

21. The pesticide of claim 19 wherein the bran is selected from a mustard of a species selected from the group consisting of

- (a) *Brassica juncea*;
- (b) *Brassica campestris*; and
- (c) *Brassica nigra*.

22. The pesticide of claim 19 wherein the bran is from a mustard of the species *Brassica juncea*.

23. The pesticide of claim 22 wherein the mustard is of the variety *B. juncea* cv. Forge or *B. juncea* cv. Cutlass.

24. The pesticide of claim 20 wherein the bran is selected from a mustard of a species selected from the group consisting of

- (a) *Brassica juncea*;
- (b) *Brassica campestris*; and
- (c) *Brassica nigra*.

25. The pesticide of claim 20 wherein the bran is from a mustard of the species *Brassica juncea*.

- 14 -

26. The pesticide of claim 25 wherein the mustard is of the variety B. juncea cv. Forge or B. juncea cv. Cutlass.

27. A method for controlling a pest which comprises applying to the pest an effective amount of an aqueous extract of bran from a mustard of the genus Brassica.

28. A method for controlling a pest which comprises applying to the pest an effective amount of an aqueous suspension of bran from a mustard of the genus Brassica.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/CA 96/00661A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A01N65/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|--|----------------------------|
| X | DE 34 32 555 A (YARON DIETER DAN DR MED) 6 March 1986 see claims 3-5 see page 2, line 3 - line 11 | 1-5,9, 20, 24-26,28 |
| Y | see page 4, line 19 - page 5, line 13 see page 7, line 29 - page 8, line 4 --- -/-- | 6-8, 10-19, 21-23,27 |

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

A document member of the same patent family

Date of the actual completion of the international search

12 February 1997

Date of mailing of the international search report

27-02-1997

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Lamers, W

INTERNATIONAL SEARCH REPORT

International Application No.

CA 96/00661

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|----------|---|----------------------------|
| Y | CHEMICAL ABSTRACTS, vol. 88, no. 23, 5 June 1978 Columbus, Ohio, US; abstract no. 165440, M.ALAM ET AL.: "Persistent action of oil cakes and nematicides on the population of nematodes in field" XP002025101 see abstract & BOCHU KAGAKU, vol. 42, no. 3, 1977, pages 119-124, --- | 6-8, 10-19, 21-23,27 |
| Y | DATABASE CROPU STN-International STN-accession no. 95-84011, S.A.TIYAGI ET AL.: "Efficacy of oil-seed cakes against plant parasitic nematodes and soil-inhabiting fungi on mungbean and chickpea" XP002025104 see abstract & BIORESOURCE TECHNOL., vol. 51, no. 2-3, 1995, pages 233-239, --- | 6-8, 10-19, 21-23,27 |
| Y | CH 314 231 A (A.A.OSBORNE) 31 July 1956 see the whole document --- | 17 |
| Y | JOURNAL OF ECONOMIC ENTOMOLOGY, vol. 88, no. 5, 1 October 1995, pages 1192-1196, XP000549664 BOREK V ET AL: "TOXICITY OF ALIPHATIC AND AROMATIC ISOTHIOCYANATES TO EGGS OF THE BLACK VINE WEEVIL (COLEOPTERA: CURCULIONIDAE)" see page 1192, column 2, paragraph 2 --- | 10,17 |
| X | EP 0 383 462 A (RECKITT & COLMANN PROD LTD) 22 August 1990 see the whole document --- | 1-5,7-9, 20,24-26 |
| X | US 5 023 105 A (WARSECK MICHAEL R) 11 June 1991 see the whole document --- | 19,21-23 |

-/--

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 96/00661

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|----------|--|-----------------------|
| A | CHEMICAL ABSTRACTS, vol. 108, no. 1, 4 January 1988 Columbus, Ohio, US; abstract no. 3417, F.H.SHAH ET AL.: "Comparison of various fractions of mustard and rae seeds for their amenability to detoxification" XP002025102 see abstract & PAK.J.SCI.IND.RES., vol. 30, no. 2, 1987, pages 111-114, --- | 1-28 |
| A | CHEMICAL ABSTRACTS, vol. 89, no. 17, 23 October 1978 Columbus, Ohio, US; abstract no. 145313, G,VANGHEESDAELE ET AL.: "Origin and role of iron and copper during the preparation of the Dijon mustard paste" XP002025103 see abstract & ANN.TECHNOL.AGRIC., vol. 26, no. 4, 1977, pages 487-498, --- | 1-28 |
| A | US 3 205 129 A (C.B.KENAGA ET AL.) 7 September 1965 see column 1, line 18 - line 27 --- | 1-28 |
| A | DATABASE CROPU STN-International STN-accession no. 94-87764, M.AKHTAR ET AL.: "Potentiality of phytochemicals in nematode control: a review" XP002025105 see abstract & BIORESOURCE TECHNOL., vol. 48, no. 3, 1993, pages 189-201, ----- | 1-28 |

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

/CA 96/00661

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|---|--|
| DE-A-3432555 | 06-03-86 | NONE | |
| CH-A-314231 | | NONE | |
| EP-A-0383462 | 22-08-90 | DE-D- 69008381 DE-T- 69008381 GB-A,B 2229631 IE-B- 63578 | 01-06-94 18-08-94 03-10-90 17-05-95 |
| US-A-5023105 | 11-06-91 | NONE | |
| US-A-3205129 | 07-09-65 | GB-A- 947782 | |